

Exhibit AA

SEGARRA FLOPS**WILLIE JONES 464-62-9616**

	X-RAY EVALUATION April 9, 2002	X-RAY EVALUATION & ILO October 25, 2002	OCCUPATIONAL LUNG DISEASE EVALUATION & ILO February 27, 2003	OCCUPATIONAL LUNG DISEASE EVALUATION, ILO & PFT June 27, 2003
X-Ray Date	March 14, 2002	September 9, 2002	February 27, 2003	June 27, 2003
Quality	1	1	1	1
Small Opacities	*P/Q	*P/S	*P/Q	*P/S
Profusion	1/0	1/0	1/0	1/1
Lung Zones	Upper, mid	All	Upper, mid	All
Impression / Diagnosis	*Silicosis	*Mixed-Dust Pneumoconiosis (Silicosis and Asbestosis)	*Silicosis "No radiographic evidence for pulmonary asbestosis."	*Mixed-Dust Pneumoconiosis (Silicosis and Asbestosis)
Pleural	"Examination of the pleural surfaces demonstrates no pleural plaques, pleural thickening, or pleural calcifications."	"Examination of the pleural surfaces demonstrates no pleural plaques, pleural thickening, or pleural calcifications."	"Examination of the pleural surfaces demonstrates no pleural plaques, pleural thickening, or pleural calcifications."	"Examination of the pleural surfaces demonstrates no pleural plaques, pleural thickening, or pleural calcifications."
Comparison	Not provided	"No earlier films are available for comparison."	"Compared to an earlier film dated 3/14/02, there has been no interval change, especially after allowing for the fact that the older film was overexposed."	"Compared to an earlier film dated 9/9/02, there has been no interval change."
Screener			Holland Bieber	Holland Bieber
Location	Tyler, Texas	Not provided	Tyler, Texas	Tyler, Texas
Lawyer Code	MCMC/TYL	JC/LC	McMc/TYL/LH	HOR/TYL/LH
Exposure History	Not provided	"History of asbestos and silica exposure,	1967-1975- worked in a foundry as a	"He worked as a pipe grinder in a

		1967-1981, foundry.”	pipe grinder. “He is not sure about asbestos exposure at this location. He did have heavy sand exposure from sand molds from which the pipes were extracted.” 1978-1982-worked as a roustabout and welder’s helper in an oil refinery. “He had daily exposure to dust from sandblasters without respiratory protection.”	foundry from 1969-1975, where he had exposure to asbestos and silica dust.” From 1978-1980 he worked as a roustabout and welder’s helper. “He states that the insulation that he removed from the pipes was old and he believes that it contained asbestos.”
--	--	----------------------	--	--

Silicosis	<i>Bobby Gene Conaway, et al. v. Aearo Company, et al.</i> , No. 022928C, 241 st JDC, filed by Brent Coon & Associates on October 25, 2002. <i>Scott Cleveland, et al. v. Air Liquide America Corporation</i> , No. CC-03-18132-E, Dallas County, Texas County Law Court, filed by Heygood, Orr & Reyes, on February 17, 2003.
Asbestosis	<i>Antonio R. Moya, et al. v. A.M.F. Incorporated, et al.</i> , No. 03-2543-B, Dallas County, Texas County Law Court, filed by Brent Coon & Associates on March 6, 2003.